Application No. 10/582,000 Docket No.: 3273-0226PUS1

# AMENDMENTS TO THE CLAIMS

### 1. (Cancelled)

2. (Currently Amended) A rubber-like or rubber-like-material-containing elastic article, wherein the article is a molded/formed product of a rubber-like composition comprising a hydrogenated natural polyisoprenoid having a degree of hydrogenation of [[50%]] 95% or more or a modified product thereof, wherein the molding/forming is accompanied by erosslinking vulcanization.

wherein said hydrogenated natural polyisoprenoid is a polymer which is the reaction product of a natural polyisoprenoid with hydrogen in the presence of a <u>rhodium complex</u> hydrogenation catalyst in a solvent, and

wherein said hydrogenated natural polyisoprenoid has a weight-average molecular weight of [[20]]  $\underline{83} \times 10^4$  or more and a molecular-weight distribution of 2.0 or more.

### 3.-5. (Cancelled)

- 6. (Previously Presented) The rubber-like or rubber-like-material-containing elastic article of claim 2, wherein the hydrogenated natural polyisoprenoid is a hydrogenated product of a polymer of isoprene unit derived from Hevea brastliensis, Ficus elastica, Eucommia ulmoides, or a fungus belonging to the genus Lactarius.
- 7. (Currently Amended) A method for producing a rubber-like elastic article, comprising the step of subjecting a rubber composition comprising a hydrogenated natural polyisoprenoid having a degree of hydrogenation of [[50%]] 95% or more or a modified product thereof to molding/forming accompanied by erosslinking yulcanization,

wherein said hydrogenated natural polyisoprenoid is a polymer which is the reaction product of a natural polyisoprenoid with hydrogen in the presence of a <u>rhodium complex</u> hydrogenation catalyst in a solvent, and

Application No. 10/582,000 Docket No.: 3273-0226PUS1

wherein said hydrogenated natural polyisoprenoid has a weight-average molecular weight of [[20]]  $83 \times 10^4$  or more and a molecular-weight distribution of 2.0 or more.

8. (Currently Amended) A rubber-like or rubber-like-material-containing article, which is a resin modifier comprising a rubber-like polymer that is a hydrogenated natural polyisoprenoid having a degree of hydrogenation of [[50%]] 95% or more, or a modified product thereof.

wherein said rubber-like polymer is a polymer which is the reaction product of a natural polyisoprenoid with hydrogen in the presence of a <u>rhodium complex</u> hydrogenation catalyst in a solvent, and

wherein said rubber-like polymer has a weight-average molecular weight of [[20]]  $83 \times 10^4$  or more and a molecular-weight distribution of 2.0 or more.

#### 9. - 11. (Cancelled)

- (Previously Presented) A resin composition comprising a resin and the rubber-like or rubber-like-material-containing article according to claim 8.
- 13. (Original) The resin composition of claim 12, comprising 0.1 to 100 parts by weight of the resin modifier per 100 parts by weight of the resin.
- (Previously Presented) A molded article made from the resin composition of claim

## 15. - 21. (Cancelled)

Application No. 10/582,000 Docket No.: 3273-0226PUS1

22. (Currently Amended) An article comprising a hydrogenated natural polyisoprenoid latex or a modified product thereof, wherein the article is a molding/forming product of a rubber-like composition comprising a hydrogenated natural polyisoprenoid latex having a degree of hydrogenation of 50% or more or a modified product thereof.

wherein the hydrogenated natural polyisoprenoid has a weight-average molecular weight of [[20]]  $60 \times 10^4$  or more and a molecular-weight distribution of 2.0 or more, and

wherein the molding/forming is accompanied by crosslinking.

- 23. (Previously Presented) The article according to claim 22, wherein the hydrogenated natural polyisoprenoid latex is a product of the reaction of the natural polyisoprenoid latex with hydrogen in the presence of a hydrogenation catalyst.
- 24. (Previously Presented) The article according to claim 22, wherein the natural polyisoprenoid latex is a latex derived from *Hevea rasiliensis*, *Ficus elastica*, *Eucommia ulcommia*, or fungus belonging to the genus *Lactarius*.
- 25. (New) The article of claim 23, wherein the catalyst is selected from the group consisting of a homogeneous catalyst and a heterogeneous catalyst,

wherein the homogeneous catalyst is selected from the group consisting of a rhodium complex catalyst, metal salts, and metal-containing ionic compounds;

wherein said metal salts and metal-containing ionic compounds are selected from the group consisting of nickel carbonate-trialkylaluminum, palladium chloride, and palladium acetate and

wherein the heterogeneous catalyst is a solid catalyst having Pd/CaCO3 or Pd/C.